

MAT 150A, Fall 2021
Homework 2

1. (10 points) Let x, y, z and w be elements of a group G .

a) Solve for y given that $xyz^{-1}w = 1$.

b) Suppose that $xyz = 1$. Does it follow that $yzx = 1$? Does it follow that $yxz = 1$?

Solution: (a) (5 points) Let us multiply by x^{-1} on the left:

$$x^{-1}xyz^{-1}w = x^{-1}, \quad yz^{-1}w = x^{-1}.$$

Now multiply by w^{-1} on the right:

$$yz^{-1}ww^{-1} = yz^{-1} = x^{-1}w^{-1},$$

and multiply by z on the right:

$$yz^{-1}z = x^{-1}w^{-1}z.$$

Therefore $y = x^{-1}w^{-1}z$.

(b) (5 points) Let us solve the equation $xyz = 1$ for z :

$$xyz = 1, \quad z = y^{-1}x^{-1}xyz = y^{-1}x^{-1}.$$

Now

$$yzx = y \cdot y^{-1}x^{-1} \cdot x = 1.$$

On the other hand, $yxz \neq 1$ if $xz \neq zx$. For example, pick $x = (1\ 2)$ and $y = (2\ 3)$ in the group S_3 , then

$$z = y^{-1}x^{-1} = (2\ 3)(1\ 2) = (1\ 3\ 2),$$

$$yzx = (2\ 3)(1\ 3\ 2)(1\ 2) = e \text{ while } yxz = (2\ 3)(1\ 2)(1\ 3\ 2) = (1\ 2\ 3) \neq e.$$

2. (10 points) How many elements of order 2 does the symmetric group S_4 contain?

Solution: The order of a permutation is the least common multiple of the lengths of disjoint cycles in it. If the order is equal to 2, this means that all cycles have length 2. In S_4 , we have 6 transpositions (cycles of length 2), and 3 products of two disjoint transpositions ((1 2)(3 4), (1 4)(2 3) and (1 3)(2 4)). Therefore there are 9 permutations of order 2 in S_4 .

3. (10 points) Find the order of the permutation

$$f = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 \\ 3 & 10 & 7 & 6 & 2 & 5 & 9 & 4 & 1 & 8 \end{pmatrix}$$

Solution: We have

$$f = (1\ 3\ 7\ 9)(2\ 10\ 8\ 4\ 6\ 5)$$

The cycles in f have length 4 and 6, so the order of f equals $LCM(4, 6) = 12$.

4. (10 points) Determine if the following subset H is a subgroup of G :

a) $G = (\mathbb{R}^*, \cdot)$ and $H = \{-1, 1\}$.

b) $G = (\mathbb{Z}, +)$ and H is the set of positive integers.

c) $G = (\mathbb{R}^*, \cdot)$ and H is the set of positive real numbers.

Solution (a) (4 points) Yes. H contains 1 and is clearly closed under multiplication since $(-1)(-1) = 1$. Also, $(-1)^{-1} = -1$, so H is closed under taking inverses. Therefore H is a subgroup of G (in fact, it is a cyclic subgroup generated by (-1)).

(b) (3 points) No: 1 is in H while (-1) is not in H , so H is not closed under taking inverses.

(c) (3 points) Yes: $1 > 0$, so H contains the identity. If $a, b > 0$ then $ab > 0$, so H is closed under multiplication. If $a > 0$ then $a^{-1} = \frac{1}{a} > 0$, so H is closed under taking inverses. Therefore H is a subgroup of G .