

Math 21B Vogler Worksheet 4

- 1.) The flat base of a solid lies in the region bounded by the graphs of $y=x^2, y=0$, and x=2. Set up but do not evaluate an integral which represents the volume of the solid if cross-sections taken perpendicular to the x-axis are
 - a.) squares. b.) semi-circles. c.) equilateral triangles.
- 2.) The flat base of a solid lies in the region bounded by the graphs of $y = \sqrt{x}$, x = 0 and y = 4. Set up but do not evaluate an integral which represents the volume of the solid if cross-sections taken perpendicular to the x-axis are
 - a.) rectangles of height 10. b.) right triangles (leg down) of perimeter 6.
- 3.) Consider the region bounded by the graphs of $y=\ln x,y=0$, and x=e. Use the Disc Method to set up (but not evaluate) integrals which represent the volume of the solid formed by revolving the region about the
 - a.) x-axis. b.) line y = 5. c.) y-axis d.) line x = -2.
- 4.) A drill of radius 3 inches bores a hole through a hemispherical solid of radius 5 inches. If the drill bores a hole perpendicularly to and symmetrically about the center of the flat circular base, what is the volume of what remains of the hemisphere?
- 5.) Use the Disc Method to derive the equation for the volume of a sphere of radius r.
- 6.) Determine the volume of the given four-sided block. Assume that the three triangles meeting at point O are right triangles.



- 7.) Consider region R bounded by the graphs of y = 3x, y = x, and x = 1.
 - a.) Compute the area of R.
- b.) Use the DISC METHOD (Set up only.) to find the volume of the solid formed by revolving R about the
 - i.) x-axis. ii.) y-axis. iii.) line y = 4. iv.) line x = -1.
 - c.) Repeat part b.) using the SHELL METHOD.
- 8.) Consider region R bounded by the graphs of $x = y^2$ and $x = y^3 y^2$.
 - a.) Find the area of R.

- b.) Use the Disc Method or the Shell Method (Pick the more convenient method and set up only.) to find the volume of the solid formed by revolving R about the
 - i.) x-axis.
- ii.) line x = -2.
- 9.) Consider the region R given in the diagram at right. If the volume of the solid formed by revolving R about the y-axis is 10π and the volume of the solid formed by revolving R about the line x=-1 is 20π , what is the area of R?



THE FOLLOWING PROBLEM IS FOR RECREATIONAL PURPOSES ONLY.

10.) Two bicyclists are twelve miles apart. They begin riding toward each other, one pedaling at 4 mph and the other at 2 mph. At the same time a bumblebee begins flying back and forth between the riders at a constant speed of 10 mph. How far does the bumblebee travel by the time the riders meet?