Math 21C Vogler Absolute Convergence Test

Absolute Convergence Test: Consider the series $\sum_{n=1}^{\infty} a_n$, which has both positive and negative terms. If $\sum_{n=1}^{\infty} |a_n|$ converges ($<\infty$), then $\sum_{n=1}^{\infty} a_n$ converges.

<u>Proof</u>: Consider that for $n = 1, 2, 3, 4, \cdots$

$$|a_n + |a_n| = \begin{cases} 2 \cdot |a_n| & , & \text{if } a_n > 0 \\ 0 & , & \text{if } a_n < 0 \end{cases}$$

Thus,

$$0 \le a_n + |a_n| \le 2 \cdot |a_n|$$

for $n=1,2,3,4,\cdots$. But the series $\sum_{n=1}^{\infty} 2\cdot |a_n|=2\cdot \sum_{n=1}^{\infty} |a_n|$ converges (Since scalar multiples of convergent series are convergent.), so that $\sum_{n=1}^{\infty} (|a_n| + |a_n|)$ converges by the Comparison Test. We also have that $\sum_{n=1}^{\infty} -|a_n|$ converges (Since scalar multiples of convergent series are convergent.). It follows that

$$\sum_{n=1}^{\infty} ((a_n + |a_n|) + (-|a_n|)) = \sum_{n=1}^{\infty} a_n$$

converges since the sum of convergent series is convergent. This completes the proof.